



**ILOILO I ELECTRIC COOPERATIVE INC.**

( I L E C O I )

BRGY. NAMOCON, TIGBAUAN

ILOILO

**INVITATION TO BID NO. 2025-013**

***“PURCHASE OF STEEL POLES”***

1. Iloilo I Electric Cooperative Inc. (ILECO I) through its Bids and Awards Committee (BAC), invites interested bidders to participate in the **Public Bidding** of the Project, **“Purchase of Steel Poles”** in accordance with the Republic Act (RA) 10531 and RA 9184 and its Revised Implementing Rules and Regulations. The ILECO I, through the FY 2025 General Fund and Reinvestment Fund for Sustainable Capital Expenditures (RFSC) intends to apply the sum of **Ninety-Four Million Six Thousand Pesos (Php 94,006,000.00)** being the Approved Budget for the Contract (ABC) to payments under the contract for the Project. The period for the performance of the obligations under the Contract shall not go beyond the validity of the corresponding appropriations for the Project.

LOT NO.	ITEM NO.	UNIT	BRIEF DESCRIPTION	REMARKS	APPROVED BUDGET FOR THE CONTRACT (ABC) INCLUSIVE OF VAT	NONREFUNDABLE FEE FOR BID DOCUMENTS	DELIVERY SCHEDULE/ COMPLETION SCHEDULE	SOURCE OF FUND
1	1	pc	Pole, Steel, Galvanized, 25 Ft., Standard Weight & Standard hole with Anti-sink Provisions	3.0mm	Php 63,743,200.00	50,000.00	<ul style="list-style-type: none"> <li>➢ Atleast twenty-five percent (25%) of the total quantity of each item, <b>excluding the 45ft and 60ft units</b>, shall be delivered within forty-five (45) calendar days from receipt of the Notice to Proceed (NTP).</li> <li>➢ Another twenty-five percent (25%) of the total quantity of each item shall be</li> </ul>	General Fund
	2		Pole, Steel, Galvanized, 30 Ft., Standard Weight & Standard hole with Anti-sink Provisions	3.0mm				
	3		Pole, Steel, Galvanized, 35 Ft., Standard hole with Anti-sink Provisions	3.5mm				
	4		Pole, Steel, Galvanized, 35 Ft., Standard Weight & Standard hole with Anti-sink Provisions	3.0mm				

*Efficient Service for a Responsible Membership*

\* Oton Area Office 337-077 \* Miag-ao Area Office 513-7080 \* Sta.Barbara Area Office 523-8631 \* Guimbal Service Center Cabatuan Service Center 522-8142 \* Leganes Service Center 524-8717 \* San Miguel Service Center 331-0480 \* Maasin Collection Office 314-7515 \* San Joaquin Collection Office 314-7515 \* Leon Collection Office 882-0297



	5		Pole, Steel, Galvanized, 45 Ft., HDC, Standard Weight, with Anti-sink Provisions	4.0mm			delivered within ninety (90) calendar days from receipt of the NTP. ➤ Full delivery within one hundred fifty (150) calendar days from receipt of the NTP.	
	6		Pole, Steel, Galvanized, 60 Ft. (TX), Conform to ASTM A-123 Direct Burial type with Anti-Sink Provisions	5.0mm				
2	1	pc	Pole, Steel, Galvanized, 30 Ft., Standard Weight & Standard hole with Anti-sink Provisions	3.0mm	Php 30,262,800.00	25,000.00		RFSC
	2		Pole, Steel, Galvanized, 35 Ft., Standard Weight & Standard hole with Anti-sink Provisions	3.0mm				
	3		Pole, Steel, Galvanized, 40 Ft., Standard hole with Anti-sink Provisions	4.0mm				
	4		Pole, Steel, Galvanized, 45 Ft., HDC, Standard Weight, with Anti-sink Provisions	4.0mm				

Commented [NMC1]: For checking, Sir

2. The ILECO I BAC shall conduct the meeting for Pre-bid and opening of the documents and bid offer at the given address and schedule below **Face-to-Face only**. Authorized attendees, including representatives of bidders, must be physically present at the ILECO I Employees' Hall, Brgy. Namocon Tigbauan Iloilo.

Availability of Bidding Documents	Pre-Bid Conference	Submission of Bid/Bid Opening
September 5, 2025 to September 23, 2025 from Monday to Friday only from 8:00 A.M. to 5:00 P.M	September 12, 2025 at 10:30 A.M. (Friday)	September 24, 2025 at 10:30 A.M. (Wednesday)

3. The Prebid-Conference is on **September 12, 2025, 10:30 AM** at the ILECO I Employees' Hall, ILECO I Main Office, Brgy. Namocon Tigbauan Iloilo, which shall be open to prospective bidders.



*Efficient Service for a Responsible Membership*

\* Oton Area Office 337-077 \* Miag-ao Area Office 513-7080 \* Sta.Barbara Area Office 523-8631 \* Guimbal Service Center Cabatuan Service Center 522-8142 \* Leganes Service Center 524-8717 \* San Miguel Service Center 331-0480 \* Maasin Collection Office 314-7515 \* San Joaquin Collection Office 314-7515 \* Leon Collection Office 882-0297

4. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **10:30 AM of September 24, 2025. Late Bids shall not be accepted.**
5. Prospect Bidders are required to attend the Pre-bid Conference.
6. All Bids must be accompanied by a Bid Security in any acceptable forms and in the amount stated in the Bidding Documents. The Submission and Opening of Bids will be on **September 24, 2025 (Wednesday), 10:30 AM at, ILECO I Employees' Hall, ILECO I Main Office, Brgy. Namocon Tigbauan Iloilo.** Bids shall contain the Eligibility and Technical Documents, as well as the Financial Documents prescribed in the Bidding Documents which will be opened in the presence of the bidder's representatives.

**Unsealed or unmarked bid envelopes shall also be rejected. In addition, bid offers received in excess of the ABC shall likewise be automatically rejected.**

7. Representatives from each bidder/company must submit their **Notarized Letter of Authorization (LOA)** during the Pre-bid conference and on Opening of Bids. Failure to comply the above-mentioned will automatically mean disqualification. Only those who have paid the Non-refundable fee in the amount specified above shall be allowed to participate in the discussion during the Prebid Conference and have their bid offers opened.

**Notarized LOA must be separated from the Sealed Bid, and to present upon attendance during the bid opening.**

8. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion.
9. The Bidder must have an experience of having Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
10. Suppliers/Contractors who intend to participate shall be immediately **disqualified under the following cases:** (a) suppliers/contractors whose contracts were previously **terminated** by ILECO I due to its failure to comply with its contractual obligation; (b) suppliers / contractors with (b.1) **ongoing or** (b.2) **un-finish projects or with at least (b.3)10% negative slippage** with ILECO I; (c) suppliers/contractors with pending case filed with ILECO I and (d) contractors/suppliers which was previously **blacklisted** either by ILECO I or any government agencies, should be automatically disqualified from participating in any competitive public bidding to be or presently being undertaken by ILECO I.
11. The ILECO I reserve the right to reject any and all bids, declare a failure of bidding, or not award the contract as indicated in the National Electrification Administration (NEA) Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives IRR-RA 10531 (2017) and in the Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".

The results of the bidding shall be submitted to the ILECO I Head of Procuring Entity (HoPE) for final decision and awarding of BIDS. The decision of the HoPE shall be deemed final and executory.

12. Interested bidders may obtain further information from the ILECO I BAC Secretariat through the contact details given below.

For further information, please refer to:

*ILECOI BAC Secretariat  
Iloilo I Electric Cooperative, Inc. (ILECO-I)  
Namocon, Tigbauan, Iloilo  
Email Add: [bac@ileco1.org](mailto:bac@ileco1.org)  
Mobile No.: 0968-649-0413  
ILECO-I Website: [ileco1.com](http://ileco1.com)*

*Efficient Service for a Responsible Membership*

\* Oton Area Office 337-077 \* Miag-ao Area Office 513-7080 \* Sta.Barbara Area Office 523-8631 \* Guimbal Service Center  
Cabatuan Service Center 522-8142 \* Leganes Service Center 524-8717 \* San Miguel Service Center 331-0480 \* Maasin  
Collection Office 314-7515 \* San Joaquin Collection Office 314-7515 \* Leon Collection Office 882-0297



(sgd.) ATTY. ANTONIE C. COLLANTES  
BAC Chairperson

**A. TECHNICAL SPECIFICATIONS**

STEEL POLES	25 ft	30 ft	35 ft	35 ft	40 ft	45 ft	60 ft
	ILECO 1 SPEC	ILECO 1 SPEC	ILECO 1 SPEC	ILECO 1 SPEC	ILECO 1 SPEC	ILECO 1 SPEC	ILECO 1 SPEC
Type	Burial Type	Burial Type	Burial Type	Burial Type	Burial Type	Burial Type	Burial Type
SHAPE	Octagonal	Octagonal	Octagonal	Octagonal	Octagonal	Octagonal	Octagonal
Holes Arrangements	X,X-Y,Y,Z-Z	X,X-Y,Y,Z-Z	X,X-Y,Y,Z-Z	X,X-Y,Y,Z-Z	X,X-Y,Y,Z-Z	X,X-Y,Y,Z-Z	X,X-Y,Y,Z-Z
Surface treatment	Hot dip galvanized in accordance with ASTM A 123.	Hot dip galvanized in accordance with ASTM A 123.	Hot dip galvanized in accordance with ASTM A 123.	Hot dip galvanized in accordance with ASTM A 123.	Hot dip galvanized in accordance with ASTM A 123.	Hot dip galvanized in accordance with ASTM A 123.	Hot dip galvanized in accordance with ASTM A 123.
Section	1	1	1	1	1	2	2
Design of pole	Against earthquake of 8 grade	Against earthquake of 8 grade	Against earthquake of 8 grade	Against earthquake of 8 grade	Against earthquake of 8 grade	Against earthquake of 8 grade	Against earthquake of 8 grade
Wind Speed	160Km/Hour 30 m/s	160Km/Hour 30 m/s	160Km/Hour 30 m/s	160Km/Hour 30 m/s	160Km/Hour 30 m/s	160Km/Hour 30 m/s	160Km/Hour 30 m/s
Minimum yield Strength	355 mpa	355 mpa	355 mpa	355 mpa	355 mpa	355 mpa	355 mpa
Minimum ultimate tensile strength	470 mpa	470 mpa	470 mpa	470 mpa	470 mpa	470 mpa	470 mpa
Max ultimate tensile strength	630 mpa	630 mpa	630 mpa	630 mpa	630 mpa	630 mpa	630 mpa
10	Standard	ISO 9001 : 2008	ISO 9001 : 2008	ISO 9001 : 2008	ISO 9001 : 2008	ISO 9001 : 2008	ISO 9001 : 2008
11	Thickness	3.00 mm	3.00 mm	3.00 mm	3.50 mm	4.00 mm	5.00 mm
12	DESIGN LOAD (kilograms)	500kg applied to 2 ft. from the top pole	500kg applied to 2 ft. from the top pole	500kg applied to 2 ft. from the top pole	1000 kg applied to 2 ft. from the top pole	1280 kg.	1200kg
13	Zinc Coating	>86 microns	>86 microns	>86 microns	>86 microns	>86 microns	>86 microns
14	Joint at Pole	N/A	N/A	N/A	N/A	insert	insert
Section 1	Tip Diameter	120 mm	127 mm	127 mm	140 mm	147 mm	190 mm

*Efficient Service for a Responsible Membership*



	Butt Diameter	152 mm	226 mm	248 mm	318 mm	358 mm	236 mm	317
Section 2	Tip Diameter	N/A	N/A	N/A	N/A	N/A	219 mm	294
	Butt Diameter						328 mm	458
Length		7625 mm	9144 mm	10670 mm	10670 mm	11900 mm	13716 mm	18288
Pole weight (theoretical)	84.121 kg	130.92 kg	162.291 kg	231.246 kg	325.0 kg	337.5 kg	801.1	

1. Steel poles shall be fabricated from structural quality which conforms to NEA Specification Standard and ASTM A570-79.
2. Steel poles must be Hot Dip Galvanized in accordance with ANSI / ATM A 153-82
3. The coating shall be continuous smooth, reasonable uniform in thickness and free of blemishes and other imperfection which are inconsistency commercial practice.
4. Pole framing holes for 5/8" diameter bolts mounting except for grounding slot.
5. Holes are through holes 5/8" diameter mounting except for grounding slot.
6. Lifting points are ground line section shall be properly marked.
7. 5/8" diameter step bolt holes are through to the body of the pole starting 10 feet from the butt up to 4 ½ feet from the tip spaced at 20" on center at 90 degrees angle with the face of the pole. *Butt hole shall have butt plates.
8. Bolt Holes should be 1/16" larger than bolt size.
9. Manufacture's mark date of manufacturer, pole height & class, type of coating pole production or serial number shall be indicated on the face of the pole 10 feet from the butt.
10. All poles shall be marked with a Ground Level (GL) indicator with the ff specifications: <ul style="list-style-type: none"> <li>The GL marking shall be clearly indicated with black paint.</li> <li>The marking shall be positioned at 10% ±2% of the total pole length, measured from the base of the pole (bottom end).</li> </ul>
11. ILECO 1 name shall be placed adjacent to item no. 9 in both sides.
12. Test results to be included in the Bid Documents to be submitted in the Opening of Bids

**OTHER REQUIREMENTS:**

- Availability of stocks must be twenty-five percent (25%) per item except for 45ft and 60ft upon site inspection
- Conduct Factory Acceptance Test (FAT)



*Efficient Service for a Responsible Membership*

\* Oton Area Office 337-077 \* Miag-ao Area Office 513-7080 \* Sta.Barbara Area Office 523-8631 \* Guimbal Service Center Cabatuan Service Center 522-8142 \* Leganes Service Center 524-8717 \* San Miguel Service Center 331-0480 \* Maasin Collection Office 314-7515 \* San Joaquin Collection Office 314-7515 \* Leon Collection Office 882-0297