



## BID BULLETIN 2025-019

### Purchase of Electrical Materials for Maintenance and Construction

Date & Time : July 29, 2025 at 5:00 P.M.  
 To : All Concerned Bidders  
 From : Bids and Awards Committee (BAC)  
 Subject : Amendments/Supplemental to the Bidding Documents

Please be informed of the following amendments/supplemental to the bidding documents. This shall replace/supersede all related statements/paragraphs made in the provided bidding documents.

REFERENCE	SECTION/ITEM NUMBER	REFERENCE	AMENDMENT/MODIFICATION/ CLARIFICATION	REMARKS
A. Technical Proposal – Folder 1 (Envelope 2)	4) Confirming Technical Specifications		<p>Revisions has been made as to technical specifications of all items. (See Annex A)</p> <p>Item No 42 - Clamp, Dead-End Strain, #4/0 ACSR, shall have 2 bolt lock only.</p> <p>Bidders to provide one sample for the following selected items:</p> <ul style="list-style-type: none"> <li>• Bolt, Double Arming (any size)</li> <li>• Bolt, Machine 5/8" (any size)</li> <li>• Bolt, oval Eye 5/8" (any size)</li> <li>• Bolt, stainless 3/16x1 1/4</li> <li>• Clamp, hotline #2-4/0 ACSR</li> <li>• Connector, Compression, YHD (any size from 150-400)</li> <li>• Connector, Compression, YPC2A8U</li> <li>• Connector, Stir-up (hotline) for #336.4 ACSR</li> <li>• Connector, Wedge Type, - #4/0 - #4/0 ACSR</li> <li>• Insulator, Pin Type, Porcelain, ANSI, Class 56-1</li> <li>• Attachment, guy, strap type</li> <li>• Bracket, Clevis Dead-End Without Spool</li> <li>• Clamp, Dead-End Strain, #4/0 ACSR</li> <li>• Pin, Crossarm, Steel, 1-3/8", 23kV, Nylon Thread, Hot Dip Galvanized</li> <li>• Pin, Pole Top,</li> </ul>	Disqualification for non-compliance

REFERENCE	SECTION/ITEM NUMBER	REFERENCE	AMENDMENT/MODIFICATION/ CLARIFICATION	REMARKS
			<i>Channel, 1" Thread, 1 3/8" X 25" Long, Hot Dip Galvanized</i>	
	<i>5) Confirming Availability of Stocks</i>		<i>Bidders are required to have at least 30% stock availability for each item during post- qualification visit.</i>	<i>Disqualification for non- compliance</i>

For guidance and information of all concerned.

**BIDS AND AWARDS COMMITTEE**

Iloilo 1 Electric Cooperative Inc. (ILECO - 1)

**ATTY. ANTONIE Q. COLLANTES**

BAC Vice-Chairperson

## ANNEX A

BILL OF QUANTITIES					
Item no.	Unit	Item Description	Quantity	Unit Cost	Total Cost
1	pc	Bolt, Double Arming 5/8" x 18", Hot Dip Galvanized	300		
2	pc	Bolt, Double Arming 5/8" X 20", Hot Dip Galvanized	600		
3	pc	Bolt, Double Arming 5/8" X 22", Hot Dip Galvanized	500		
4	pc	Bolt, Double Arming 5/8" X 10", Hot Dip Galvanized	600		
5	pc	Bolt, Machine 1/2" X 12", Hot Dip Galvanized	500		
6	pc	Bolt, Machine 1/2" X 10", Hot Dip Galvanized	380		
7	pc	Bolt, Machine 1/2" X6", Hot Dip Galvanized	280		
8	pc	Bolt, Machine 5/8" X 10", Hot Dip Galvanized	2,500		
9	pc	Bolt, Machine 5/8" x 12", Hot Dip Galvanized	1,500		
10	pc	Bolt, Machine 5/8" x 14", Hot Dip Galvanized	500		
11	pc	Bolt, Machine 5/8" x 16", Hot Dip Galvanized	400		
12	pc	Bolt, Machine 5/8" x 8", Hot Dip Galvanized	1,500		
13	pc	Bolt, oval Eye 5/8" X 10", Hot Dip Galvanized, Forged	2,000		
14	pc	Bolt, Oval Eye 5/8" X 12", Hot Dip Galvanized, Forged	1,500		
15	pc	Bolt, oval Eye 5/8' X 14', Hot Dip Galvanized, Forged	150		
16	pc	Bolt, oval Eye 5/8" X 18", Hot Dip Galvanized, Forged	500		
17	pc	Bolt, Single Upset 5/8" X 8", Hot Dip Galvanized, Forged	350		
18	pc	bolt, stainless 3/16x1 1/4	12,500		
19	pc	clamp, hotline #2-4/0 ACSR	1,000		
20	pc	Connector, Compression, YHD 400, Run #2/0 - #4/0 - Tap #2/0 - #410	5,000		
21	pc	Connector, Compression, YHD 200, Run - #1/0 - #2/0 -Tap #6 - #2	3,840		
22	pc	Connector, Compression, YHO 150, Run- #1/0 -Tap #6 - #2	20,000		
23	pc	Connector, Compression, YPC2A8U	11,100		
24	pc	Connector, Stir-up (hotline) for #336.4 ACSR	3,500		
25	pc	Connector, Wedge Type, #1/0 - #2 ACSR	300		
26	pc	Connector, Wedge Type, #2/0 - #6 ACSR	350		
27	pc	Connector, Wedge Type, - #4/0 - #4/0 ACSR	500		
28	pc	Insulator, Pin Type, Porcelain, ANSI, Class 56-1	690		

29	pc	Insulator, spool, 1-3/4", ANSI, Class 53-2	1,400		
30	pc	Insulator, spool, 3", ANSI, Class 53-4	2,000		
31	pc	Insulator, Suspension, 6", ANSI, Class 52-1	1,800		
32	pc	Crossarm, Steel, 3" X 4" X 10', 3 mm, Hot Dip Galvanized	350		
33	pc	Brace, Sidearm, Steel 28'	745		
34	pc	Brace, Sidearm, Diagonal, 7', Steel, Hot Dip Galvanized	400		
35	pc	brace, sidearm vertical. Galv.	70		
36	pc	Brace, Crossarm, 18" Drop 60" Span, Angular	200		
37	pc	Bracket, Mounting for Fuse Cut-Out & Arrester	227		
38	pc	Bracket, Transformer Pole Mounting, 1 Phase, Hot Dip Galvanized	486		
39	pc	Anchor, Expanding, 8 - Ways, Hot Dip Galvanized	200		
40	pc	Attachment, guy, strap type	217		
41	pc	Bracket, Clevis Dead-End Without Spool	1,500		
42	pc	Clamp, Dead-End Strain, #4/0 ACSR	1,500		
43	pc	Clamp, Loop Dead-End, #2-4/0 ACSR	3,540		
44	pc	Clamp, Suspension, #336 MCM	29		
45	pc	Clevis, Secondary Swinging Without Spool, Hot Dip Galvanized	1,925		
46	pc	Nut, Eye, 5/8", Conventional, Hot Dip Galvanized	2,500		
47	pc	Pin, Crossarm, Clamp Type, 1" Thread Dia. Hot Dip Galvanized	155		
48	pc	Pin, Crossarm, Steel, 1-3/8", 23kV, Nylon Thread, Hot Dip Galvanized	300		
49	pc	Pin, crossarm, steel 5/8x10 3/4	800		
50	pc	Pin, Pole Top, Channel, 1" Thread, 1 3/8" X 25" Long, Hot Dip Galvanized	1,425		
51	pc	Anchor, Rod, Threaded, Single Eye, 5/8" X 7", Hot DIP Galvanized, Forged	765		
52	pc	Anchor, Shackle, 5/8", Forged Steel, Hot Dip Galvanized	1,000		
53	pc	Tape, electrical 0.16mm X 19mm x 16M	10,000		
54	pc	Washer, Square, Flat, 2-1/4" X 2-1/4" X 3/16"	8,000		
TOTAL					